

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : LOCAL-COOPERATION-AGREEMENT
PROJECT : CDM
SHORT NAME : LOCAL-COOPERATION-AGREEMENT PROPONENT : CECW
STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 13-OCT-89

An agreement between the Corps and a local organization to cooperate by sharing costs or responsibilities associated with a project.

LOCAL-COOPERATION-AGREEMENT is a type of AGREEMENT and more data can be found in its generalization entity - AGREEMENT.

*** AGREEMENT-IDENTIFIER

A unique identifier for an AGREEMENT, e.g., a CONTRACT or a local cooperation AGREEMENT. Because the AGREEMENT-IDENTIFIER must be unique within the Corps, it must be generated internally (as opposed to using a vendor's agreement-identifier).

The CONTRACT identifier is formatted as follows:

AAAAAA-BB-C-DDDD

where

AAAAAA is either

DACCxx for Civil Works, with xx = MSC#, or

DACAXx for Military Programs, with xx = MSC#, or

IMPRST for Imprst contracts.

BB is the last two digits of the fiscal year of the contract award.

C is the contract type, either

C = Contract, or

D = Indefinite delivery type contract, or

E = Facilities contract, or

G = Blanket ordering agreement, or

H = Agreements including basic agreements, or

L = Lease agreement.

DDDD is a sequential counter within MSC, reset each fiscal year.

SHORT NAME:

FIELD LENGTH: 13

DOMAIN NAME: AGREEMENT-IDENTIFIER

PROPONENT:

FORMAT: CHAR

TYPE: KEY

FOREIGN

*** AGREEMENT-TYPE

The Agreement-Type indicates the category of the AGREEMENT, e.g., a CONTRACT or a LOCAL-COOPERATION-AGREEMENT.

SHORT NAME:

FIELD LENGTH: 39

DOMAIN NAME: CHARACTER-39

PROPONENT:

FORMAT: CHAR

TYPE: KEY

FOREIGN

EP 25-1-6
11 Feb 91

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : LOCAL-COST-SHARING-SPONSOR
PROJECT : CDM
SHORT NAME : LOCAL-COST-SHARING-SPONSOR PROPONENT : CECW
STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

A local organization which cooperates by sharing costs or responsibilities associated with a project.

*** ADDRESSEE-IDENTIFIER

A computer generated code which uniquely identifies an ADDRESSEE.

SHORT NAME:	PROponent:	TYPE: KEY FOREIGN
DOMAIN NAME: ADDRESSEE-IDENTIFIER		

*** ADDRESSEE-ROLE-IDENTIFIER

Unique identifier of an ADDRESSEE-ROLE.

SHORT NAME:	PROponent:	TYPE: KEY FOREIGN
DOMAIN NAME:		

*** ADDRESSEE-ROLE-TYPE

Category discriminator for the types of ROLES which may be assumed by an ADDRESSEE.

SHORT NAME:	PROponent:	TYPE: KEY FOREIGN
DOMAIN NAME:		

*** WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME:	PROponent:	TYPE: KEY FOREIGN
FIELD LENGTH: 6	FORMAT: CHAR	
DOMAIN NAME: WORK-ITEM-CODE		

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : LOCAL-WORK-CLASSIFICATION
PROJECT : CDM
SHORT NAME : LOCAL-WORK-CLASSIFICATION PROPONENT : CECW/CEMP
STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 17-SEP-90

A logical grouping of work for local (district, division, etc.)
management or reporting purposes.

*** LOCAL-WORK-CLASSIFICATION-CODE

A code used to identify a local classification of work.
May be used for management purposes for final reports, design memo,
local interest, negotiations, periodic reports, or other
purposes.

SHORT NAME:	PROPOONENT:	TYPE: KEY
FIELD LENGTH: 5	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-5		

*** PARENT-LOCAL-WORK-CATEGORY-IND.LOCAL-WORK-CLASSIFICATION-CODE

A code used to identify a local classification of work.
May be used for management purposes for final reports, design memo,
local interest, negotiations, periodic reports, or other
purposes.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 5	FORMAT: CHAR	FOREIGN
DOMAIN NAME: CHARACTER-5		

*** LOCAL-WORK-CLASSIFICATION-DEFINITION

The detailed definition of a local work classification.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 120	TYPE: TEXT FORMAT: CHAR	NATIVE
DOMAIN NAME: MEDIUM-TEXT		

*** LOCAL-WORK-CLASSIFICATION-NAME

A name of a local work classification.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-30		

EP 25-1-6
11 Feb 91

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : LOCATION
PROJECT : CDM
SHORT NAME : LOCN PROPONENT : CERE
STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 08-JAN-91

A place or position represented on a map or drawing. Typically, a tract of land where work is performed.

*** LOCATION-CODE

A code which uniquely identifies a specific LOCATION. Please see DA Pamphlet 525-12, Military Operations Army Location Codes, States within the United States and DA Pamphlet 525-13, Army Location Codes, Foreign Locations.

SHORT NAME:	PROPOONENT:	TYPE: KEY
FIELD LENGTH: 5	FORMAT: CHAR	NATIVE
DOMAIN NAME: LOC-CODE		

*** LOCATION-ALIAS-NAME

An alternative name for the location, as retained or known by another organization or system, or name given to a noncontiguous portion of the site

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 59	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-59		

*** LOCATION-BASIN-CODE

A code which identifies the basin.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 2	FORMAT: CHAR	NATIVE
DOMAIN NAME: BASIN-CODE		

*** LOCATION-BASIN-NAME

The name of a basin associated with a LOCATION.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-30		

*** LOCATION-CITY-NAME

The name of a city LOCATION.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-30		

*** LOCATION-CONGRESSIONAL-DISTRICT-NAME

The name of the congressional district of a LOCATION.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-30		

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** LOCATION-CONGRESSIONAL-DISTRICT-NUMBER

The number of the Congressional district of a LOCATION.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 3	FORMAT: NUM	NATIVE
DOMAIN NAME: LOC-CONGRESSIONAL-DISTRICT-NO		

*** LOCATION-COST-FACTOR

Area cost factor, e.g. for an installation. May be pulled from the DD1391 Processor

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 9	FORMAT: CHAR	NATIVE
DOMAIN NAME: AREA-COST-FACTOR		

*** LOCATION-COUNTRY-CODE

The country code of a location which is outside the U.S..

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 2	TYPE: LIST FORMAT: CHAR	NATIVE
DOMAIN NAME: COUNTRY-CODE		

*** LOCATION-COUNTY-NAME

A name of a county LOCATION. The name can also be for parishes, boroughs, or judicial divisions.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-30		

*** LOCATION-FEDERAL-LEVEL-HOST-NATION-AGENCY-NAME

The name of the responsible federal host nation construction agency at the Federal level which has construction or oversight responsibility for a WORK-ITEM at its LOCATION.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-30		

*** LOCATION-LATITUDE

The location's angular distance north or south from the Equator measured through 90 degrees.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
		NATIVE
DOMAIN NAME: LATITUDE		

*** LOCATION-LINE-1-ADDRESS

The first line of the address of the location

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: ADDRESS-LINE		

EP 25-1-6
11 Feb 91

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** LOCATION-LINE-2-ADDRESS

The second line of the address of the location

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: ADDRESS-LINE		

*** LOCATION-LONGITUDE

The arc or portion of the earth's equator intersected between the meridian of the location and the prime meridian at Greenwich, England.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
	FORMAT: NUM	NATIVE
DOMAIN NAME: NUMERIC		

*** LOCATION-MIDLEVEL-HOST-NATION-AGENCY-NAME

The name of the responsible midlevel host nation construction agency below the Federal level which has construction or oversight responsibility for the WORK-ITEM item at its LOCATION.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-30		

*** LOCATION-NAME

The name of the LOCATION.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 39	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-39		

*** LOCATION-OFFICE-NAME

The name of a Corps of Engineers area engineer office who has responsibilities for a LOCATION.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-30		

*** LOCATION-OWNERSHIP-INDICATOR

The owner of the site

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 10	TYPE: LIST FORMAT: CHAR	NATIVE
DOMAIN NAME: OWNERSHIP-INDICATOR		

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** LOCATION-PHYSICAL-CATEGORY

The overall physical classification of the site (or incident

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 1	FORMAT: CHAR	NATIVE
DOMAIN NAME: PHYSICAL-CATEGORY		

*** LOCATION-PROJECT-OFFICE-NAME

The name of a Corps of Engineers project office for a LOCATION.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-30		

*** LOCATION-REGION-CODE

A code which identifies a region associated with a LOCATION.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 2	FORMAT: CHAR	NATIVE
DOMAIN NAME: REGION-CODE		

*** LOCATION-REGION-NAME

The name of a region associated with a LOCATION.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-30		

*** LOCATION-RESIDENT-OFFICE-NAME

The name of a Corps of Engineers Resident Engineer office for a LOCATION.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-30		

*** LOCATION-SHORT-NAME

Official short name by which the LOCATION can be referenced.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 20	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-20		

*** LOCATION-STATE-CODE

The code of the primary state of the location (as used by the Post Office).

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 2	TYPE: LIST FORMAT: CHAR	NATIVE
DOMAIN NAME: STATE-CODE		

EP 25-1-6
11 Feb 91

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** LOCATION-TEXT

Textual information about the location.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: VAR	TYPE: TEXT FORMAT: CHAR	NATIVE
DOMAIN NAME: LONG-TEXT		

*** LOCATION-TYPE

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
		NATIVE
DOMAIN NAME:		

*** LOCATION-WORK-LEVEL-HOST-NATION-AGENCY-NAME

The name of the work level host nation construction agency below the state level who has direct day-to-day construction or oversight responsibility for the WORK-ITEM at its LOCATION.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-30		

*** LOCATION-ZIP-CODE

The zip code of the location.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 10	FORMAT: CHAR	NATIVE
DOMAIN NAME: MAIL-CODE		

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : MANAGEMENT-STRUCTURE
PROJECT : CDM
SHORT NAME : MANAGEMENT-STRUCTURE PROPONENT : CERM/CECW
STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

A table which lists the Army Management Structure codes and Civil Works Information System numbers with their corresponding names.

*** MANAGEMENT-STRUCTURE-CODE

Codes for the detailed breakdown of appropriation accounts used to classify planned and actual use as to the end objective or purpose of the expense

SHORT NAME:	PROponent:	TYPE: KEY
FIELD LENGTH: 12	FORMAT: CHAR	NATIVE
DOMAIN NAME: MANAGEMENT-STRUCTURE-CODE		

*** MANAGEMENT-STRUCTURE-NAME

The name or description of the classification represented by a management structure code.

SHORT NAME:	PROponent:	TYPE: NON-KEY
FIELD LENGTH: 59	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-59		

*** MANAGEMENT-STRUCTURE-TYPE

This element requires further description. It was created to be a discriminator in a generalization group required by the CEFMS model.

SHORT NAME:	PROponent:	TYPE: NON-KEY
		NATIVE
DOMAIN NAME:		

EP 25-1-6
11 Feb 91

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : MANPOWER
PROJECT : CDM
SHORT NAME : MANPOWER PROPONENT : CEPE
STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 13-OCT-89

Measurement of Corps of Engineers labor or other labor (i.e., resource required to accomplish a project task). MANPOWER is a type of RESOURCE, and more data about it can be found in its generalization, RESOURCE.

*** RESOURCE-CODE

A code which identifies a RESOURCE used to accomplish the Corps mission. The code may identify a standard RESOURCE type of any component in a breakdown thereof, e.g., manner.

SHORT NAME:	PROPONENT:	TYPE: KEY
FIELD LENGTH: 10	FORMAT: CHAR	FOREIGN
DOMAIN NAME: RESOURCE-CODE		

*** EMPLOYEE-IDENTIFIER

This is a unique number identifying a specific government employee

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 11	FORMAT: CHAR	FOREIGN
DOMAIN NAME: EMPLOYEE-IDENTIFIER		

*** MANPOWER-DISCIPLINE-IDENTIFIER

The occupational identifier of a discipline established by personnel regulations

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 3	FORMAT: CHAR	NATIVE
DOMAIN NAME: MANPOWER-DISCIPLINE-IDENTIFIER		

*** MANPOWER-GRADE

An identifier of the specific grade of a position or an employee

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 2	FORMAT: CHAR	NATIVE
DOMAIN NAME: MANPOWER-GRADE-IDENTIFIER		

*** MANPOWER-POSITION-NUMBER

The unique number assigned to each position in a field operating activity

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 10	TYPE: RANGE FORMAT: CHAR	NATIVE
DOMAIN NAME: MANPOWER-POSITION-NUMBER		

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** MANPOWER-SKILL-NAME

The name that identifies or describes a skill

SHORT NAME:

PROponent:

TYPE: NON-KEY

FIELD LENGTH: 15

FORMAT: CHAR

NATIVE

DOMAIN NAME: MANPOWER-SKILL-NAME

EP 25-1-6
11 Feb 91

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : MATERIAL
PROJECT : CDM
SHORT NAME : MATERIAL PROPONENT : CELD
STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 13-OCT-89

The basic constituents of which things are made. MATERIAL includes supplies, and is normally consumed. MATERIAL is a type of RESOURCE, and more data about it can be found in its generalization, RESOURCE.

*** RESOURCE-CODE

A code which identifies a RESOURCE used to accomplish the Corps mission. The code may identify a standard RESOURCE type of any component in a breakdown thereof, e.g., manner.

SHORT NAME:
FIELD LENGTH: 10
DOMAIN NAME: RESOURCE-CODE

PROponent:
FORMAT: CHAR

TYPE: KEY
FOREIGN

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : METHOD-OF-ACCOMPLISHMENT
PROJECT : CDM
SHORT NAME : METHOD-OF-ACCOMPLISHMENT PROPONENT : CERM
STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 13-OCT-89

The standard methods of performing work, i.e., Contract, In-house
Reimbursable-Corps, Reimbursable-Non-Corps.

*** METHOD-OF-ACCOMPLISHMENT-CODE

A code which indicates whether work will be performed, for example
via inhouse, by CONTRACT, or by reimbursable order. The manner by
which the work is accomplished.

SHORT NAME:	PROPOONENT:	TYPE: KEY
FIELD LENGTH: 3	TYPE: LIST	NATIVE
DOMAIN NAME: METHOD-OF-ACCOMPLISHMENT-CODE		

*** METHOD-OF-ACCOMPLISHMENT-FEDERAL-CODE

Indicates whether the METHOD-OF-ACCOMPLISHMENT is via Federal or
non-Federal means.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
		NATIVE
DOMAIN NAME:		

*** METHOD-OF-ACCOMPLISHMENT-NAME

The name which identifies the means used to perform work

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 39	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-39		

EP 25-1-6
11 Feb 91

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : MILESTONE
PROJECT : COM
SHORT NAME : MLSTN PROPONENT : CECW/CEMP
STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 26-DEC-90

Pre-specified MILESTONES. Designated e.g. as applicable to WORK-ITEM's or AGREEMENT's. They may be used en-masse or individually for WORK-ITEM's or AGREEMENT's or others.

*** MILESTONE-CODE

A unique code identifying a MILESTONE event.

SHORT NAME:	PROPONENT:	TYPE: KEY
FIELD LENGTH: 8	FORMAT: NUM	NATIVE
DOMAIN NAME: MILESTONE-CODE		

*** MILESTONE-STANDARD-LOCAL-TYPE

Indicates whether the MILESTONE is one from a corps standard set of MILESTONES, or whether the MILESTONE was created for local use.

SHORT NAME:	PROPONENT:	TYPE: KEY
FIELD LENGTH: 1	FORMAT: CHAR	NATIVE
DOMAIN NAME: STANDARD-LOCAL-TYPE		

*** ORGANIZATION-CODE

A unique code which identifies an organization within the Corps of Engineers. Breakdown of the code is as follows:

CHAR #

Division 1

District 2

Dir/Division 3

Branch 4.5

Section 6.7

The first two characters are the MSC (Major Subordinate Command) code, formerly known as the ERDC (Engineering Reporting Organization Code).

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 7	TYPE: LIST FORMAT: CHAR	FOREIGN
DOMAIN NAME: ORGANIZATION-CODE		

*** MILESTONE-DESCRIPTION

Text describing the MILESTONE.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: VAR	TYPE: TEXT FORMAT: CHAR	NATIVE
DOMAIN NAME: LONG-TEXT		

*** MILESTONE-NAME

The name of the MILESTONE corresponding to the MILESTONE-CODE.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 39	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-39		

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** MILESTONE-PHASE-CODE

The phase with which the milestone is associated.

SHORT NAME:	PROponent:	TYPE: NON-KEY
		NATIVE
DOMAIN NAME:		

*** MILESTONE-SERIES-CODE

A locally defined classification for the milestone.

SHORT NAME:	PROponent:	TYPE: NON-KEY
FIELD LENGTH: 6	FORMAT: CHAR	NATIVE
DOMAIN NAME: MILESTONE-TABLE-SERIES-CODE		

*** MILESTONE-TYPE

Designates the MILESTONE as applicable to WORK-ITEM's or AGREEMENT's or other entities.

SHORT NAME:	PROponent:	TYPE: NON-KEY
FIELD LENGTH: 1	TYPE: LIST FORMAT: CHAR	NATIVE
DOMAIN NAME: MILESTONE-TABLE-TYPE		

EP 25-1-6
11 Feb 91

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : NETWORK-INTERSECT
PROJECT : CDM
SHORT NAME : NETWORK-INTERSECT PROPONENT : CECW/CEMP
STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

The link between two work-items that defines which work-item is the successor or which work-item is dependent on the other.

*** PRECEDING.WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME:	PROponent:	TYPE: KEY
FIELD LENGTH: 6	FORMAT: CHAR	FOREIGN
DOMAIN NAME: WORK-ITEM-CODE		

*** SUCCEEDING.WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME:	PROponent:	TYPE: KEY
FIELD LENGTH: 6	FORMAT: CHAR	FOREIGN
DOMAIN NAME: WORK-ITEM-CODE		

*** NETWORK.NETWORK-VERSION-IDENTIFIER

An identifier for an ordered set of work-items representing a logical sequence of performing tasks with resources in accomplishment of a project

SHORT NAME:	PROponent:	TYPE: NON-KEY
FIELD LENGTH: 10	FORMAT: CHAR	FOREIGN
DOMAIN NAME: CHARACTER-10		

*** NETWORK.WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME:	PROponent:	TYPE: NON-KEY
FIELD LENGTH: 6	FORMAT: CHAR	FOREIGN
DOMAIN NAME: WORK-ITEM-CODE		

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : NETWORK-VERSION
PROJECT : CDM
SHORT NAME : NETWORK-VERSION PROPONENT : CECM/CEMP
STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

An ordered set of work-items representing a logical sequence of performing tasks with resources (e.g., material, manpower, etc.) in accomplishment of a project. Different versions may be produced over the life cycle.

*** WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME:	PROPOONENT:	TYPE: KEY
FIELD LENGTH: 6	FORMAT: CHAR	FOREIGN
DOMAIN NAME: WORK-ITEM-CODE		

*** NETWORK-VERSION-IDENTIFIER

An identifier for an ordered set of work-items representing a logical sequence of performing tasks with resources in accomplishment of a project

SHORT NAME:	PROPOONENT:	TYPE: KEY
FIELD LENGTH: 10	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-10		

EP 25-1-6
11 Feb 91

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : ORGANIZATION
PROJECT : CDM
SHORT NAME : ORGANIZATION PROPONENT : CERM
STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 13-OCT-89

A logical grouping of employees by related mission, identified by a unique organization code.

*** ORGANIZATION-CODE

A unique code which identifies an organization within the Corps of Engineers. Breakdown of the code is as follows:

CHAR #

Division 1

District 2

Dir/Division 3

Branch 4.5

Section 6.7

The first two characters are the MSC (Major Subordinate Command) code, formerly known as the EROC (Engineering Reporting Organization Code).

SHORT NAME:

FIELD LENGTH: 7

DOMAIN NAME: ORGANIZATION-CODE

PROPONENT:

TYPE: LIST

FORMAT: CHAR

TYPE: KEY

NATIVE

*** PARENT-ORGANIZATION-CODE.ORGANIZATION-CODE

A unique code which identifies an organization within the Corps of Engineers. Breakdown of the code is as follows:

CHAR #

Division 1

District 2

Dir/Division 3

Branch 4.5

Section 6.7

The first two characters are the MSC (Major Subordinate Command) code, formerly known as the EROC (Engineering Reporting Organization Code).

SHORT NAME:

FIELD LENGTH: 7

DOMAIN NAME: ORGANIZATION-CODE

PROPONENT:

TYPE: LIST

FORMAT: CHAR

TYPE: NON-KEY

FOREIGN

*** ORGANIZATION-ABBREVIATION

Abbreviation of the ORGANIZATION, e.g., SWD is Southwestern Division.

SHORT NAME:

FIELD LENGTH: 3

DOMAIN NAME: ABBREVIATION

PROPONENT:

FORMAT: CHAR

TYPE: NON-KEY

NATIVE

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** ORGANIZATION-BOX-ADDRESS

Postal box number component of an organization's address.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 20	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-20		

*** ORGANIZATION-CITY-NAME

City name component of an organization's address.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-30		

*** ORGANIZATION-COUNTRY-ADDRESS

Country name component of an organization's address.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 2	TYPE: LIST FORMAT: CHAR	NATIVE
DOMAIN NAME: COUNTRY-CODE		

*** ORGANIZATION-COUNTY-NAME

County name component of an organization's address. In some states or countries that do not have counties, their local equivalents may be substituted.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-30		

*** ORGANIZATION-DISBURSING-OFFICER-NAME

The name of the disbursing officer for a disbursing office.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
DOMAIN NAME:		NATIVE

*** ORGANIZATION-LINE-1-ADDRESS

Street address of the organization. Usually consists of a street name, a street location (a number or a name), and if necessary, a location within the facility (e.g. a mail code, floor number or room number). This is the first line.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: ADDRESS-LINE		

*** ORGANIZATION-LINE-2-ADDRESS

The second line of the street address of the organization

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 30	FORMAT: CHAR	NATIVE
DOMAIN NAME: ADDRESS-LINE		

- 120

EP 25-1-6
11 Feb 91

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** ORGANIZATION-MAXIMUM-VERSION-NUMBER

The maximum number of versions (level numbers) for WORK-ITEM's that an ORGANIZATION may have.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 1	FORMAT: CHAR	NATIVE
DOMAIN NAME: MAXIMUM-VERSION-NUMBER		

*** ORGANIZATION-NAME

The name of an ORGANIZATION within a Corps of Engineers field operating activity; for example, a District or a Division.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 39	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-39		

*** ORGANIZATION-OFFICE-SYMBOL-IDENTIFIER

Office symbol identifier for a Corps of Engineers ORGANIZATION, used for routing information.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 15	FORMAT: CHAR	NATIVE
DOMAIN NAME: ORGANIZATION-OFFICE-SYMBOL-IDENTIFIER		

*** ORGANIZATION-OPERATING-AGENCY-CODE

A code assigned to various commands, headquarters, or agencies to provide a ready means for consolidating fiscal data for budgetary analysis.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 2	FORMAT: CHAR	NATIVE
DOMAIN NAME: ORGANIZATION-OPERATING-AGENCY-CODE		

*** ORGANIZATION-STATE-CODE

State name component of an organization's address.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 2	TYPE: LIST FORMAT: CHAR	NATIVE
DOMAIN NAME: STATE-CODE		

*** ORGANIZATION-TYPE

Type of organization, signifying its place in an organizational hierarchy. For example, it may be a Division or a District.

SHORT NAME:	PROPOONENT:	TYPE: NON-KEY
FIELD LENGTH: 3	FORMAT: CHAR	NATIVE
DOMAIN NAME: ORGANIZATION-TYPE		

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** ORGANIZATION-ZIP-CODE

Postal code of the organization. In the U.S., for example, it may be either a five numeric or nine numeric code.

SHORT NAME:
FIELD LENGTH: 10
DOMAIN NAME: MAIL-CODE

PROPOONENT:
FORMAT: CHAR

TYPE: NON-KEY
NATIVE

EP 25-1-6
11 Feb 91

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : ORGANIZATION-RESOURCE
PROJECT : CDM
SHORT NAME : ORGANIZATION-RESOURCE PROPONENT : CERM
STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 13-OCT-89

The intersection between ORGANIZATION and RESOURCE.

*** ORGANIZATION-CODE

A unique code which identifies an organization within the Corps of Engineers. Breakdown of the code is as follows:

CHAR #

Division 1

District 2

Dir/Division 3

Branch 4.5

Section 6.7

The first two characters are the MSC (Major Subordinate Command) code, formerly known as the EROC (Engineering Reporting Organization Code).

SHORT NAME:

PROPONENT:

TYPE: KEY

FIELD LENGTH: 7

TYPE: LIST

FORMAT: CHAR

FOREIGN

DOMAIN NAME: ORGANIZATION-CODE

*** RESOURCE-CODE

A code which identifies a RESOURCE used to accomplish the Corps mission. The code may identify a standard RESOURCE type of any component in a breakdown thereof, e.g., manner.

SHORT NAME:

PROPONENT:

TYPE: KEY

FIELD LENGTH: 10

FORMAT: CHAR

FOREIGN

DOMAIN NAME: RESOURCE-CODE

*** ORGANIZATION-RESOURCE-START-DATE

Date on which the RESOURCE rates and amounts commence.

SHORT NAME:

PROPONENT:

TYPE: KEY

FIELD LENGTH: 9

FORMAT: DATE

NATIVE

DOMAIN NAME: CALENDAR-DATE

*** ORGANIZATION-RESOURCE-AUTHORIZED-AMOUNT

The amount authorized over this period of time.

SHORT NAME:

PROPONENT:

TYPE: NON-KEY

FIELD LENGTH: 14 DECIMAL LENGTH: 2

FORMAT: NUM

NATIVE

DOMAIN NAME: AMOUNT

*** ORGANIZATION-RESOURCE-CIVIL-MILITARY-TYPE

The indicator which specifies if civil or military rates apply.

SHORT NAME:

PROPONENT:

TYPE: NON-KEY

DOMAIN NAME: CIVIL-MILITARY-TYPE

NATIVE

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** ORGANIZATION-RESOURCE-DAILY-RATE

Average daily rate in whole dollars over this period of time.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
		NATIVE
DOMAIN NAME: RATE-DAY		

*** ORGANIZATION-RESOURCE-END-DATE

The date on which this set of RESOURCE rates and amounts are no longer in effect.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 9	FORMAT: DATE	NATIVE
DOMAIN NAME: CALENDAR-DATE		

*** ORGANIZATION-RESOURCE-LAST-UPDATE-IDENTIFIER

The identifier of the person or organization who last updated the ORGANIZATION-RESOURCE.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 10	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-10		

*** ORGANIZATION-RESOURCE-MONTHLY-RATE

The average monthly rate in whole dollars over this period of time.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
		NATIVE
DOMAIN NAME: RATE-MONTH		

*** ORGANIZATION-RESOURCE-ONBOARD-STAFF-QUANTITY

The number of persons on-board. For future dates, the number of staff authorized to be on-board.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
		NATIVE
DOMAIN NAME:		

*** ORGANIZATION-RESOURCE-PRIMARY-FUNCTIONAL-CODE

Primary functional work area to which the RESOURCE is applied; e.g., navigation, dredging.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 1	FORMAT: CHAR	NATIVE
DOMAIN NAME: FUNCTION-CODE		

EP 25-1-6
11 Feb 91

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** ORGANIZATION-RESOURCE-PRIMARY-FUNCTIONAL-PERCENT

Percentage of use of total RESOURCE's to the primary functional work area.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 5 DECIMAL LENGTH: 2	FORMAT: NUM	NATIVE
DOMAIN NAME: PERCENT		

*** ORGANIZATION-RESOURCE-SECONDARY-FUNCTIONAL-CODE

Second functional work area to which the RESOURCE is applied; e.g., navigational, dredging.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 1	FORMAT: CHAR	NATIVE
DOMAIN NAME: FUNCTION-CODE		

*** ORGANIZATION-RESOURCE-SECONDARY-FUNCTIONAL-PERCENT

Percentage of use of total RESOURCE's to the second functional work area.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 5 DECIMAL LENGTH: 2	FORMAT: NUM	NATIVE
DOMAIN NAME: PERCENT		

*** ORGANIZATION-RESOURCE-TECHNICAL-INDIRECT-HIRED-LABOR-PERCENT

The indirect hired labor average percent for the RESOURCE.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 5 DECIMAL LENGTH: 2	FORMAT: NUM	NATIVE
DOMAIN NAME: PERCENT		

*** ORGANIZATION-RESOURCE-TECHNICAL-INDIRECT-OTHER-PERCENT

Other indirect average percent for the RESOURCE.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 5 DECIMAL LENGTH: 2	FORMAT: NUM	NATIVE
DOMAIN NAME: PERCENT		

*** ORGANIZATION-RESOURCE-TECHNICAL-INDIRECT-TOTALITY-PERCENT

Total indirect average percent for the RESOURCE.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 5 DECIMAL LENGTH: 2	FORMAT: NUM	NATIVE
DOMAIN NAME: PERCENT		

*** ORGANIZATION-RESOURCE-YEARLY-RATE

The average yearly rate per unit of the RESOURCE type, in whole dollars over this period of time.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 14 DECIMAL LENGTH: 2	FORMAT: NUM	NATIVE
DOMAIN NAME: AMOUNT		

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : POLITICAL-INTEREST
PROJECT : CDM
SHORT NAME : POLITICAL-INTEREST PROPONENT : CEPA
STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 13-OCT-89

Any individual, organization or group which represents the interests beliefs or concepts of a recognized group of people. Usually the term refers to Senators and Congressmen of the United States, individual states, cities, countries, parishes or other legal entity such as a water district.

*** ADDRESSEE-IDENTIFIER

A computer generated code which uniquely identifies an ADDRESSEE.

SHORT NAME:	PROponent:	TYPE: KEY FOREIGN
DOMAIN NAME: ADDRESSEE-IDENTIFIER		

*** ADDRESSEE-ROLE-IDENTIFIER

Unique identifier of an ADDRESSEE-ROLE.

SHORT NAME:	PROponent:	TYPE: KEY FOREIGN
DOMAIN NAME:		

*** ADDRESSEE-ROLE-TYPE

Category discriminator for the types of ROLES which may be assumed by an ADDRESSEE.

SHORT NAME:	PROponent:	TYPE: KEY FOREIGN
DOMAIN NAME:		

*** WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME:	PROponent:	TYPE: KEY FOREIGN
FIELD LENGTH: 6	FORMAT: CHAR	
DOMAIN NAME: WORK-ITEM-CODE		

*** POLITICAL-INTEREST-STATE-CONGRESSIONAL-CODE

The code for the state or congressional district for the political interest.

SHORT NAME:	PROponent:	TYPE: NON-KEY NATIVE
DOMAIN NAME:		

EP 25-1-6
11 Feb 91

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : PROGRAM
PROJECT : CDM
SHORT NAME : PROGRAM
STATUS : REGISTERED
PROPOSER : CECH/CEMP
STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

A table which contains the program information for each funding authorization. A program indicates the resource requirements approved for a specified period of time in order to accomplish stated objectives.

*** FUNDING-AUTHORIZATION-RECORD-AMENDMENT-ORDER-NUMBER

The sequential number assigned to track changes to a funding authorization by the issuing activity.

SHORT NAME:	PROPOSER:	TYPE: KEY
FIELD LENGTH: 10	FORMAT: CHAR	FOREIGN
DOMAIN NAME: CHARACTER-10		

*** FUNDING-AUTHORIZATION-RECORD-ORDER-NUMBER

The identifying number assigned to a funding authorization by the issuing activity.

SHORT NAME:	PROPOSER:	TYPE: KEY
FIELD LENGTH: 20	FORMAT: CHAR	FOREIGN
DOMAIN NAME: CHARACTER-20		

*** MANAGEMENT-STRUCTURE-PROGRAM-MANAGEMENT-STRUCTURE-CODE

Codes for the detailed breakdown of appropriation accounts used to classify planned and actual use as to the end objective or purpose of the expense

SHORT NAME:	PROPOSER:	TYPE: KEY
FIELD LENGTH: 12	FORMAT: CHAR	FOREIGN
DOMAIN NAME: MANAGEMENT-STRUCTURE-CODE		

*** PROGRAM-FUND-FUND-CODE

A code which designates funds as direct, automatic reimbursable, funded reimbursable, direct fund citation or contributed.

SHORT NAME:	PROPOSER:	TYPE: KEY
FIELD LENGTH: 1	FORMAT: CHAR	FOREIGN
DOMAIN NAME: FUND-CODE		

*** PROGRAM-TYPE

This element is the category discriminator for the different PROGRAM types.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
		NATIVE
DOMAIN NAME:		

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : PROJECT
PROJECT : CDM
SHORT NAME : PROJECT PROPONENT : CECW-LM
STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 13-NOV-90

A specifically defined scope of work that relates to a specific line item in a Congressional Authorization, or work-items of a comparable nature. PROJECT is a type or WORK-ITEM, and more data can be found in its generalization entity. WORK-ITEM.

*** WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME:	PROponent:	TYPE: KEY
FIELD LENGTH: 6	FORMAT: CHAR	FOREIGN
DOMAIN NAME: WORK-ITEM-CODE		

*** PROJECT-AUTHORIZATION-DATE

The date (day, month and year) a PROJECT has authorization. Original authorization date.

SHORT NAME:	PROponent:	TYPE: NON-KEY
FIELD LENGTH: 9	FORMAT: DATE	NATIVE
DOMAIN NAME: CALENDAR-DATE		

*** PROJECT-AUTHORIZED-AMOUNT

The total project cost as stated in the authorizing legislation. Please refer to ER 5-2-1.

SHORT NAME:	PROponent:	TYPE: NON-KEY
FIELD LENGTH: 14 DECIMAL LENGTH: 2	FORMAT: NUM	NATIVE
DOMAIN NAME: AMOUNT		

*** PROJECT-AUTHORIZED-PHASE-CODE

The current authorized phase of the PROJECT.

SHORT NAME:	PROponent:	TYPE: NON-KEY
FIELD LENGTH: 2	TYPE: LIST FORMAT: CHAR	NATIVE
DOMAIN NAME: WORK-ITEM-PHASE-CODE		

*** PROJECT-AUTHORIZED-PRICE-LEVEL-DATE

The date (day, month and year) for the price level upon which the estimate in the authorizing legislation was prepared. It is the date of the current authorized price level

SHORT NAME:	PROponent:	TYPE: NON-KEY
FIELD LENGTH: 9	FORMAT: DATE	NATIVE
DOMAIN NAME: CALENDAR-DATE		

*** PROJECT-CIVIL-MILITARY-CODE

Indicates if the PROJECT is civil or military.

SHORT NAME:	PROponent:	TYPE: NON-KEY
FIELD LENGTH: 1	FORMAT: CHAR	NATIVE
DOMAIN NAME: CIVIL-MILITARY-INDICATOR		

EP 25-1-6
11 Feb 91

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** PROJECT-CURRENT-WORKING-ESTIMATE-BASIS-CODE

A code to indicate the PROJECT life cycle phase in which the current working estimate was calculated.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 1	FORMAT: CHAR	NATIVE
DOMAIN NAME: CURRENT-WORKING-ESTIMATE-BASIS-CODE		

*** PROJECT-DESIGN-ANNUAL-ENERGY-USE-QUANTITY

Calculated design energy use. Units are BTU/SQFT/YR per project

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 10 DECIMAL LENGTH: 2	FORMAT: NUM	NATIVE
DOMAIN NAME: COUNT		

*** PROJECT-DESIGN-ENERGY-TARGET-QUANTITY

The design energy target from AEI table 11-1 (normalized as needed in the appropriate table of AF energy budget ETL, or other appropriate energy budget. Units are BTU/SQFT/YR per project

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 10 DECIMAL LENGTH: 2	FORMAT: NUM	NATIVE
DOMAIN NAME: COUNT		

*** PROJECT-ENERGY-CALCULATION-TOOL-CODE

Code for energy calculation tool used.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 1	TYPE: LIST FORMAT: CHAR	NATIVE
DOMAIN NAME: ENERGY-CALCULATION-TOOL-CODE		

*** PROJECT-ENERGY-CONSERVATION-COMPLIANCE-CODE

Code for energy conservation compliance.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 1	TYPE: LIST FORMAT: CHAR	NATIVE
DOMAIN NAME: ENERGY-CONSERVATION-COMPLIANCE-CODE		

*** PROJECT-ENERGY-CONSERVATION-COOLING-SYSTEM-CODE

Code for energy conservation for cooling systems.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 1	TYPE: LIST FORMAT: CHAR	NATIVE
DOMAIN NAME: COOLING-SYSTEM-CODE		

*** PROJECT-ENERGY-CONSERVATION-HEATING-FUEL-CODE

Code for energy conservation for heating fuel.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 1	TYPE: LIST FORMAT: CHAR	NATIVE
DOMAIN NAME: HEATING-FUEL-CODE		

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** PROJECT-FOREIGN-MILITARY-SALES-CONSTRUCTION-NUMBER

The (optional) foreign military sales construction number for the PROJECT.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 3	FORMAT: NUM	NATIVE
DOMAIN NAME: NUMERIC-3		

*** PROJECT-FOREIGN-MILITARY-SALES-DESIGN-NUMBER

The (optional) foreign military sales design number the project.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 3	FORMAT: NUM	NATIVE
DOMAIN NAME: FOREIGN-MILITARY-SALES-DESIGN-NUMBER		

*** PROJECT-FULLY-FUNDED-AUTHORIZED-AMOUNT

The PROJECT-AUTHORIZED-AMOUNT adjusted for inflation through the construction period, and modified for any Congressionally authorized changes in scope. Please see ER 5-2-1.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 14 DECIMAL LENGTH: 2	FORMAT: NUM	NATIVE
DOMAIN NAME: AMOUNT		

*** PROJECT-INITIAL-FUNDING-DATE

The initial date of a period for which this funding applies.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 9	FORMAT: DATE	NATIVE
DOMAIN NAME: CALENDAR-DATE		

*** PROJECT-LEGISLATIVE-CAP-PERCENT

A percentage which is multiplied by the PROJECT-AUTHORIZED-AMOUNT. This product, when added to the PROJECT-FULLY-FUNDED-AUTHORIZED-AMT, gives the Maximum Project Cost. See ER 5-2-1.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 5 DECIMAL LENGTH: 2	FORMAT: NUM	NATIVE
DOMAIN NAME: PERCENT		

*** PROJECT-PROGRAM-YEAR

Latest fiscal year in which Congress is expected to or actually passed legislation appropriating the necessary program funds for construction of a PROJECT.

SHORT NAME:	PROPOSER:	TYPE: NON-KEY
FIELD LENGTH: 4	FORMAT: NUM	NATIVE
DOMAIN NAME: YEAR		

EP 25-1-6
11 Feb 91

01/09/91
15:10:32

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** PROJECT-S-AND-A-CODED-RATE

Code to designate the type of work performed under the uniform or non-uniform rate procedure.

SHORT NAME:
FIELD LENGTH: 1
DOMAIN NAME: S-AND-A-RATE-CODE

PROponent:
FORMAT: CHAR

TYPE: NON-KEY
NATIVE

*** PROJECT-S-AND-A-ONLY-CODE

Code to identify items for which the Corps is providing only supervision and administrative services.

SHORT NAME:
FIELD LENGTH: 1
DOMAIN NAME: YES-NO

PROponent:
TYPE: TEXT FORMAT: CHAR

TYPE: NON-KEY
NATIVE

*** PROJECT-S-AND-A-PERCENT

A percent value corresponding to the S-AND-A-RATE-CODE.

SHORT NAME:
FIELD LENGTH: 5 DECIMAL LENGTH: 2
DOMAIN NAME: PERCENT

PROponent:
FORMAT: NUM

TYPE: NON-KEY
NATIVE